

SOUTH AFRICA



DFSK





Length (mm)	4,435
Width (mm)	1,560
Height (mm)	1,825
Wheelbase (mm)	2,515
Wheel Span Front (mm)	1,310
Wheel Span Rear (mm)	1,310

CARGO AREA

With a robust chassis and a wheelbase ranging from 2760mm to 2515mm, the K01S is engineered to handle even the most demanding workloads. Boasting a curb weight from 840kg and a carrying capacity of 880kg, this versatile workhorse can carry substantial payloads without breaking a sweat.

Length (mm)	2,700
Width (mm)	1,140
Height (mm)	370
Carrying Capacity (kg)	985





The DFSK K01S is no ordinary utility vehicle. With its robust rear-wheel-drive system and a maximum speed of 110 km/h, this versatile workhorse can confidently conquer both city streets and rugged terrain. Whether you're navigating tight urban alleys or tackling off-road adventures, the KO1S delivers uncompromising performance and agility.

Transmission 5 MT

Suspension Front **MacPherson Independent Suspension**

Suspension Rear MacPherson 5 Leaf Springs Non-Independent

Drive Type Middle Engine Rear Drive

Front Disc / Rear Drum **Brake Type**

Power Steering FPS

165/70 R14 Tyre Profile

Powering the K01S is the advanced DK12 engine, a marvel of engineering that combines efficiency and power. This four-cylinder, in-line, four-stroke, water-cooled, SOHC petrol engine with electronic fuel injection provides the perfect balance of torque and responsiveness, ensuring you have the muscle to tackle any challenge head-on.

65

Fuel Tank Capacity (L) 40

Gasoline **Fuel Type**

Fuel Supply Type Multipoint EFI

DK12-10 Engine

Displacement (mL) 1,240

Engine Type Natural Aspiration

Max Power (kW) Max Torque (N.m) 115